




**Applications:**

- 1. Evaporator Fans
- 2. Coolrooms
- 3. Freezer Rooms
- 4. Portable Coolrooms




Features	Description & Benefits
Evaporator Savings	Saves energy used by evaporator on off cycle times up to 70%
Save Energy	Reducing fan speed minimises energy use of fan and compressor
Certification	All products are C-Tick
Compressor Savings	Fans generate less heat which reduces compressor cycle times
Dehydration Savings	Reducing fan speed minimises dehydration of stock
<b>Installation</b>	<b>We provide installation if required</b>
Certification	All products are C-Tick
Warranty	We provide a 2 year parts warranty restriction apply





The green line represents current usage which clearly increases after the changeover

Part No.	Amps	Single / 3 Phase	Fan Speed
ESMT1-6	1 - 6	Single Phase	30% - 100%
ESMT6-12	6 - 12	Single Phase	30% - 100%
ESMT1-8-3p	1-8	3 Phase	30% - 100%
ESMT8-20-3p	8-20	3 Phase	30% - 100%




**COOLROOM FAN ON 100%**

Compressor cycles 126 times  
Fan is at 100% during off cycle

**COOLROOM FAN ON 30%**

Compressor cycles 86 times  
Fan is at 30% during off cycle





## Applications:

1. Glass Door Freezers
2. Drinks fridges
3. Coolroom Glass Doors




Features	Description & Benefits
Save Money	Saves 50% - 90% of antisweat heating costs
Save Energy	Reducing the heat reduces the energy consumption
Payback	Return on Investment is less than 2 years
<b>Installation</b>	<b>We provide installation if required</b>
Certification	All products are C-Tick
Warranty	We provide a 2 year parts warranty restriction apply



C7774 Yarraville

Datapoint	On Time	On %	Cycles
Antisweat 1Arly (RO)	3 days + 19:29:00	77%	981
Antisweat 1Brly (RO)	3 days + 19:41:00	78%	977
Antisweat 1Crly (RO)	3 days + 19:27:00	77%	976
Antisweat 1Drly (RO)	3 days + 19:43:00	78%	978
Antisweat1E1rly (RO)	3 days + 20:03:00	78%	982
Antisweat1E2rly (RO)	3 days + 19:41:00	78%	977



Part No.	L X W X H mm	No. Of Systems Capable	System Capabilities
SEM-AS-6S	500 x 20 x 14.2	1 - 6 Systems	1 - 6 Systems
SEM-AS-8S	500 x 20 x 14.2	1 - 8 Systems	1 - 8 Systems

C7799 ARDEER

Datapoint	On Time	On %	Cycles
Antisweat Cont (RO)	1 day + 12:22:00	32%	28

